

Consultative Meeting Notification 116 / 2017

**Buyer-Seller Consultative Meeting held on 21.12.2017 for
Air Purifier and Fogging Machine**

Presented by :

Date :



Consultative Meeting Notification 116 / 2017

Buyer-Seller Consultative Meeting held on 21.12.2017 for Air Purifier and Fogging Machine

A Consultative Meeting with Buyers and Sellers was convened on 21.12.2017 to review the existing technical parameters of the following items:-

- (i) Air Purifier
- (ii) Fogging Machine

2. The following were present in the Consultative Meeting:-

GeM:

- (i) Shri Dharnidhar Jha, (Dy. CEO) - in chair
- (ii) Shri Harshal Gulhane, (ADQA)

Sellers:

- | | |
|----------------------------|------------------------------------|
| (i) Shri. Bhushan | M/s B G System |
| (ii) Shri. Manik Sarin | M/s Techmart Systems Co. Pvt. Ltd. |
| (iii) Shri. Ankur Chawla | M/s Crusaders |
| (iv) Shri. Suyog Khadakkar | M/s Central India Eng. Co |
| (v) Shri. Vaibhav Manjal | M/s Arun Electricals |
| (vi) Shri. Sanjay Dubey | M/s Blueair India |
| (vii) Shri. Kamlesh Prasad | M/s Blueair India Pvt. Ltd. |
| (viii) Shri. Pankaj Goel | M/s Oxyair |
| (ix) Smt. Priyanka Singh | M/s Bluestar Ltd. |

3. Following suggestions were given by the vendors:

(A) For Air Purifier

- (a) To take feedback or details of models/specifications etc from OEM for finalizing TP so that unauthorized sellers can be debarred from selling on GeM unauthorized sellers.
- (b) To increase the range of clean air delivery rate (CADR) at maximum speed upto 1200.
- (c) Documents of certification for CADR as certified by authorized certifying agencies such as AHAM/JAM/GB/Independent Labs should be called from the vendors for verification. Vendors may be asked to put the documents either in dg locker or they can provide the link.



- (d) To make a separate category for car purifier.
- (e) The provision or parameter of remote control should be added or included in TP.
- (f) The number of cleaning stages to be linked with details given by the OEMs.

(B) For Fogging Machine

- (a) CML Validity should be editable in BIS marking.
- (b) The provision of 6V should be added in rechargeable battery unit capacity for manual start machine.
- (c) The provision of 12V should be made for rechargeable batteries.
- (d) Point no. 5, 11 and 12 should be one to one validate.
- (e) Copy of test reports should be called from the vendors.

Minutes concluded.

Regards

GeM-Admin